

7

Q-256ONE-STEP GERMICIDAL
DETERGENT AND DEODORANT**TRUMIX**DC²**Q-256**

ONE-STEP GERMICIDAL DETERGENT AND DEODORANT

Active Ingredients:	
Didecyl dimethyl ammonium chloride	5.07%
n-Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%)	3.38%
dimethyl benzyl ammonium chloride	91.55%
Inert Ingredients:	100.00%
Total:	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panel for Precautionary Statements and First Aid

EPA Reg. No. 47371-130-1124

EPA Est. No. 62511-KS-1

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

NET CONTENTS: 64 FL. OZ. (1892 mL)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if inhaled, swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Handling:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

Tech Hotline 800-810-4829 MSDS Retrieval 800-848-4901

Distributed by: © FRANKLIN Cleaning Technology® • 2021
One Fuller Way, Great Bend, KS 67530

For use in hospitals and nursing homes as a disinfectant. Use in schools, colleges, universities, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, tack shops, pet shops, airports, kennels, hotels, motels, breeding establishments and grooming establishments. Disinfects, cleans and deodorizes the following hard, nonporous inanimate surfaces: floors, walls, (non-medical) metal surfaces, (non-medical) stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.). For use in: Federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas, and/or exterior areas. All surfaces must be thoroughly rinsed with potable water.

• Effective against SARS-CoV-2 [USA-WA1/2020] [in 1 minute]
SI NO PUEDE LEER EN INGLÉS, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO. DILUTION: 1:128 1 OUNCE PER GALLON OF WATER (660 ppm quart)

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DISINFECTION Dilution** DILUTION: 1:256 (660 ppm quat) 1/2 ounce per gallon of water. This product is not for use on medical device surfaces.

DISINFECTION/CLEANING/DEODORIZING DIRECTIONS:

Remove visible soil deposits from surface, then thoroughly wet surface with a use-solution of 1 oz. of the concentrate per gallon of water. Use 4 oz. per gallon of water to kill Adenovirus Type 7. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes. **For Human Coronavirus**, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry. **For Influenza Virus Type A**, treated surfaces must remain visibly wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted. **TOILET BOWLS:** Swab bowl with brush to remove visible soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove visible soil, then remove or expel over the inner trap the residual bowl water. Pour in 3 oz. of the use-solution. Allow surface to remain visibly wet for a contact time of 10 minutes, then flush. **FUNGICIDAL DIRECTIONS:** For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions. **MILDEWSTATIC INSTRUCTIONS:** Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard, non-porous surfaces such as walls, floors, and table tops. Apply use-solution of 1/2 oz. per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to visibly wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears. **VETERINARY PRACTICE/ANIMAL CARE/ANIMAL LABORATORY/ZOOS/PETS/SHOPS/KENNELS** **DISINFECTION DIRECTIONS:** For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Visibly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 1 oz. of this product per gallon of water [or equivalent dilution]. Allow surfaces to remain visibly wet for a period of 10 minutes. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried. ***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, HARD NON-POROUS ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immuno deficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). **Special Instructions for Disinfection, Cleaning and Decontamination against HIV-1 (AIDS Virus) or HBV or HCV on Surfaces/Objects Soiled with Blood/Body Fluids: Personal Protection:** Disposable protective gloves, gowns, face masks and eye coverings, must be worn during all cleaning of blood/body fluids and during decontamination procedures. **Cleaning Procedures:** Blood/body fluids must be visibly cleaned from surfaces /objects before application of disinfectant. **Contact Time:** Mix 1/2 oz. of Q256 One-Step Disinfectant Germicidal Detergent and Deodorant per gallon of water (or equivalent dilution). HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F). HBV and HCV are inactivated after a 10 minute contact time. Use appropriate contact time as listed on label for all other viruses, bacteria and fungi claimed. **Disposal of Infectious Materials:** Blood/body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

For use in:
Dilution SystemPLEASE RECYCLE
CONTAINERTECH HOTLINE 800-810-4829
MSDS RETRIEVAL 800-848-4901**F690728**

F690728-0921